

```
zypper ref && zypper up
Repository 'nVidia Graphics Drivers' ist aktuell.
```

Repository 'home:ithod' ist aktuell.

Repository 'openSUSE-Leap-42.3-0' ist aktuell.

Repository 'Libdvdcss Repository' ist aktuell.

```
Metadaten von Repository 'Packman Repository'
abrufen ..... [fertig]
Cache für Repository 'Packman Repository'
erzeugen ..... [fertig]
Repository 'openSUSE-Leap-42.3-Non-Oss' ist aktuell.
```

Repository 'openSUSE-Leap-42.3-Update' ist aktuell.

Repository 'openSUSE-Leap-42.3-Update-Non-Oss' ist aktuell.

```
Alle Repositorys wurden aktualisiert.
Repository-Daten werden geladen...
Installierte Pakete werden gelesen...
```

Die folgenden 149 Paketaktualisierungen werden NICHT installiert:

```
aaa_base aaa_base-extras accountsservice accountsservice-lang
augeas augeas-lenses bash bash-doc bash-lang
bind-libs bind-utils ca-certificates-mozilla command-not-found
cups cups-client cups-filters
cups-filters-cups-browsed cups-filters-foomatic-rip cups-filters-
ghostscript cups-libs cups-libs-32bit db48-utils
dhcp dhcp-client dmraid drkonqi5 ft2demos ghostscript
ghostscript-x11 glibc gstreamer-0_10-plugins-bad
gstreamer-0_10-plugins-bad-lang icewm icewm-config-upstream
icewm-default icewm-lang icewm-lite iscsiuio ispell
ispell-american kmozillahelper lame libaugeas0 libcairo2
libcairo-gobject2 libcdr-0_1-1 libdb-4_8 libetonyek-0_1-1
libevent-2_0-5 libexif12 libfreetype6 libgraphite2-3
libgstbasecamerabinsrc-0_10-23 libgstbasevideo-0_10-23
libgstcodecparsers-0_10-23 libgstphotography-0_10-23
libgstsignalprocessor-0_10-23 libgstvdp-0_10-23 libhdf5-10
libhdf5_hl10 libid3tag0 libidn11 libIImImf-Imf_2_1-21 libmad0
libmodplug1 libmp3lame0 libmwaw-0_3-3
```

```
libodfgen-0_1-1 libopencv3_1 libopencv-qt56_3 libpackagekit-
glib2-18 libpurple libpurple-lang libpurple-tcl
libpython3_4m1_0 libreadline6 libSDL_image-1_2-0 libsndfile1
libstaroffice-0_0-0 libtalloc2 libtalloc2-32bit
libtasn1 libtasn1-6 libtevent0 libtevent0-32bit libvisio-0_1-1
libvncclient0 libvpx1 libwavpack1 libwps-0_4-4
libXcursor1 libXfont1 libxmlsec1-1 libxmlsec1-nss1 libyui-qt7
libzmf-0_0-0 mpv mpv-bash-completion
mpv-zsh-completion myspell-de myspell-de_DE myspell-dictionaries
myspell-en myspell-en_US myspell-lightproof-en
nfs-client ntp open-iscsi openSUSE-build-key p7zip PackageKit
PackageKit-backend-zypp PackageKit-gstreamer-plugin
PackageKit-gtk3-module PackageKit-lang plasma5-integration-plugin
plasma5-integration-plugin-lang
plasma5-workspace plasma5-workspace-lang plasma5-workspace-libs
python3 python3-base python3-py python3-simplejson
python-pyasn1 python-talloc python-talloc-32bit readline-doc
rollback-helper rpm rpm-python scout SUSEConnect
traceroute typelib-1_0-PackageKitGlib-1_0 unixODBC wireless-regdb
xdg-utils xfsprogs yast2 yast2-country
yast2-country-data yast2-installation yast2-nfs-client yast2-
ruby-bindings yast2-services-manager yast2-users zsh
zypp-plugin-python
```

Die folgenden 2 NEUEN Pakete werden installiert:

```
drm-kmp-default-4.9.33_k4.4.126_48-13.3 kernel-default-4.4.126-
48.2
```

Die folgenden 2 Anwendungen werden GELÖSCHT werden:

```
K3b org.audacityteam.Audacity
```

Die folgenden 88 Pakete werden aktualisiert:

```
audacity audacity-lang autoyast2-installation cpp48 gdk-pixbuf-
loader-rsvg gstreamer-0_10-plugins-bad
gstreamer-0_10-plugins-bad-lang gstreamer-plugins-ugly-lang
ImageMagick k3b k3b-lang kdepim-addons
```

```
kdepim-addons-lang kpartx libdca0 libfaac0 libfaad2 libfdk-aac1
libffms2-4 libfreebl3 libgcc_s1 libgcc_s1-32bit
libgomp1 libGraphicsMagick3-config libGraphicsMagick-Q16-3
libgstbasecamerabinsrc-0_10-23 libgstbasevideo-0_10-23
libgstcodecparsers-0_10-23 libgstphotography-0_10-23
libgstsignalprocessor-0_10-23 libgstvdp-0_10-23 libHalf23
libIex-2_2-23 libMagickCore-6_Q16-1 libMagickWand-6_Q16-1
libopencore-amrnb0 libopencore-amrwb0 libopenssl1_0_0
libopenssl1_0_0-32bit libquadmath0 libraw15 libreoffice
libreoffice-base libreoffice-base-drivers-mysql
libreoffice-branding-upstream libreoffice-calc libreoffice-calc-
extensions libreoffice-draw
libreoffice-filters-optional libreoffice-icon-themes libreoffice-
impress libreoffice-kde4 libreoffice-l10n-de
libreoffice-l10n-en libreoffice-mailmerge libreoffice-math
libreoffice-pyuno libreoffice-writer librsvg-2-2
librtmp1 libsoftokn3 libsolv-tools libstdc++6 libstdc++6-32bit
libtiff5 libvo-aacenc0 libvo-amrwbenc0 libx264-152
libx265-151 libzypp MozillaFirefox MozillaFirefox-translations-
common mozilla-nspr mozilla-nss mozilla-nss-certs
normalize openssl perl perl-base python-solv smplayer-skins
timezone x264 x265 yast2-network yast2-packager
yast2-storage youtube-dl
```

88 Pakete werden aktualisiert, 2 neue.

Gesamtgröße des Downloads: 249,8 MiB. Bereits im Cache
gespeichert: 0 B. Nach der Operation werden zusätzlich 359,9
MiB belegt.

Fortfahren? [j/n/...? zeigt alle Optionen] (j):

Paket youtube-dl-2018.05.09-1.1.noarch abrufen
(1/90), 1,5 MiB (1,7 MiB
entpackt)
Abrufen: youtube-dl-2018.05.09-
1.1.noarch.rpm[fertig (197,1 KiB/s)]
Paket libgstcodecparsers-0_10-23-0.10.23-29.15.65.x86_64 abrufen
(2/90), 102,1 KiB (154,3 KiB entpackt)
Abrufen: libgstcodecparsers-0_10-23-0.10.23-
29.15.65.x86_64.rpm[fertig (30,3
KiB/s)]
Paket libfdk-aac1-0.1.6-1.1.x86_64 abrufen
(3/90), 347,2 KiB (740,7 KiB
entpackt)
Abrufen: libfdk-aac1-0.1.6-
1.1.x86_64.rpm[fertig (268,8 KiB/s)]
Paket libfaad2-2.8.8-1.2.x86_64 abrufen
(4/90), 133,6 KiB (258,5 KiB

```
entpackt)
Abrufen: libfaad2-2.8.8-
1.2.x86_64.rpm .....[fertig]
Paket libdca0-0.0.5-3.4.x86_64 abrufen
(5/90), 88,9 KiB (177,5
KiB entpackt)
Abrufen: libdca0-0.0.5-
3.4.x86_64.rpm .....[fertig]
Paket libgstsignalprocessor-0_10-23-0.10.23-29.15.65.x86_64
abrufen (6/90), 55,5 KiB ( 22,5 KiB entpackt)
Abrufen: libgstsignalprocessor-0_10-23-0.10.23-29.15.65.x86_64.rpm
.....[fertig (53,8 KiB/s)]
Paket librtmp1-2.4.20151223.fa8646d-1.4.x86_64 abrufen
(7/90), 60,3 KiB (133,1 KiB entpackt)
Abrufen: librtmp1-2.4.20151223.fa8646d-
1.4.x86_64.rpm .....[fertig]
Paket libvo-aacenc0-0.1.3-1.2.x86_64 abrufen
(8/90), 68,8 KiB (137,6 KiB
entpackt)
Abrufen: libvo-aacenc0-0.1.3-
1.2.x86_64.rpm .....[fertig]
Paket libgstvdp-0_10-23-0.10.23-29.15.65.x86_64 abrufen
(9/90), 72,7 KiB ( 84,3 KiB entpackt)
Abrufen: libgstvdp-0_10-23-0.10.23-
29.15.65.x86_64.rpm .....[fertig]
Paket libopencore-amrnb0-0.1.5-1.4.x86_64 abrufen
(10/90), 93,8 KiB (176,2 KiB entpackt)

Abrufen: libopencore-amrnb0-0.1.5-
1.4.x86_64.rpm .....[fertig]
Paket libgstbasevideo-0_10-23-0.10.23-29.15.65.x86_64 abrufen
(11/90), 72,5 KiB ( 79,4 KiB entpackt)
Abrufen: libgstbasevideo-0_10-23-0.10.23-
29.15.65.x86_64.rpm .....[fertig]
Paket libvo-amrwbenc0-0.1.3-1.2.x86_64 abrufen
(12/90), 65,5 KiB (128,2 KiB
entpackt)
Abrufen: libvo-amrwbenc0-0.1.3-
1.2.x86_64.rpm .....[fertig]
Paket libopencore-amrwb0-0.1.5-1.4.x86_64 abrufen
```

(13/90), 49,8 KiB (88,1 KiB entpackt)

Abrufen: libopencore-amrwb0-0.1.5-
1.4.x86_64.rpm
.....[fertig]
Paket libgstphotography-0_10-23-0.10.23-29.15.65.x86_64 abrufen
(14/90), 53,7 KiB (30,3 KiB entpackt)
Abrufen: libgstphotography-0_10-23-0.10.23-
29.15.65.x86_64.rpm
[fertig]
Paket libx264-152-0.152svn20180305-3.1.x86_64 abrufen
(15/90), 340,2 KiB (915,9 KiB entpackt)
Abrufen: libx264-152-0.152svn20180305-
3.1.x86_64.rpm
....[fertig]
Paket libgstbasecamerabinsrc-0_10-23-0.10.23-29.15.65.x86_64
abrufen (16/90), 55,6 KiB (27,2 KiB entpackt)
Abrufen: libgstbasecamerabinsrc-0_10-23-0.10.23-
29.15.65.x86_64.rpm
[fertig]
Paket libfaac0-1.29.9.2-2.2.x86_64 abrufen
(17/90), 32,0 KiB (56,0 KiB
entpackt)
Abrufen: libfaac0-1.29.9.2-
2.2.x86_64.rpm
.....[fertig]
Paket gstreamer-plugins-ugly-lang-1.8.3-10.6.noarch abrufen
(18/90), 50,3 KiB (76,6 KiB entpackt)
Abrufen: gstreamer-plugins-ugly-lang-1.8.3-
10.6.noarch.rpm
[fertig]
Paket smplayer-skins-15.2.0-1.3.noarch abrufen
(19/90), 226,2 KiB (633,5 KiB
entpackt)
Abrufen: smplayer-skins-15.2.0-
1.3.noarch.rpm
.....[fertig]
Paket cpp48-4.8.5-35.1.x86_64 abrufen
(20/90), 4,9 MiB (13,2
MiB entpackt)
Delta abrufen: ./x86_64/cpp48-4.8.5-32.1_35.1.x86_64.drpm, 2,1 MiB

Abrufen: cpp48-4.8.5-
32.1_35.1.x86_64.drpm
.....[fertig (4,7 MiB/s)]
Delta anwenden: ./cpp48-4.8.5-
32.1_35.1.x86_64.drpm
.....[fertig]

```
Paket kernel-default-4.4.126-48.2.x86_64 abrufen
(21/90), 52,3 MiB (238,4 MiB
entpackt)
Abrufen: kernel-default-4.4.126-
48.2.x86_64.rpm .....
[fertig (5,2 MiB/s)]
Paket kpartx-0.7.1+101+suse.1d10b44f-9.1.x86_64 abrufen
(22/90), 70,3 KiB ( 64,9 KiB entpackt)
Abrufen: kpartx-0.7.1+101+suse.1d10b44f-
9.1.x86_64.rpm .....
..[fertig]
Paket libGraphicsMagick3-config-1.3.25-87.1.x86_64 abrufen
(23/90), 39,5 KiB ( 41,0 KiB entpackt)
Abrufen: libGraphicsMagick3-config-1.3.25-
87.1.x86_64.rpm .....
[fertig]
Paket libfreebl3-3.36.1-47.1.x86_64 abrufen
(24/90), 251,2 KiB (534,4 KiB
entpackt)
Abrufen: libfreebl3-3.36.1-
47.1.x86_64.rpm .....
.....[fertig]
Paket libgcc_s1-7.3.1+r258812-10.1.x86_64 abrufen
(25/90), 49,7 KiB ( 90,4 KiB entpackt)

Delta abrufen: ./x86_64/libgcc_s1-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm, 13,8 KiB
Abrufen: libgcc_s1-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm .....
[fertig]
Delta anwenden: ./libgcc_s1-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm .....[fertig]
Paket libgcc_s1-32bit-7.3.1+r258812-10.1.x86_64 abrufen
(26/90), 56,2 KiB (105,5 KiB entpackt)
Delta abrufen: ./x86_64/libgcc_s1-32bit-
7.3.1+r258313_7.3.1+r258812-6.1_10.1.x86_64.rpm, 13,9 KiB
Abrufen: libgcc_s1-32bit-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm .....[fertig]
Delta anwenden: ./libgcc_s1-32bit-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm .....[fertig]
Paket libgomp1-7.3.1+r258812-10.1.x86_64 abrufen
(27/90), 105,5 KiB (251,7 KiB
entpackt)
Delta abrufen: ./x86_64/libgomp1-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm, 15,7 KiB
Abrufen: libgomp1-7.3.1+r258313_7.3.1+r258812-6.1_10.1.x86_64.rpm
.....[fertig]
Delta anwenden: ./libgomp1-7.3.1+r258313_7.3.1+r258812-
```

```
6.1_10.1.x86_64.rpm .....[fertig]
Paket libopenssl1_0_0-1.0.2j-19.1.x86_64 abrufen
(28/90), 1,1 MiB ( 2,9 MiB
entpackt)
Delta abrufen: ./x86_64/libopenssl1_0_0-1.0.2j-
16.1_19.1.x86_64.rpm, 91,4 KiB
Abrufen: libopenssl1_0_0-1.0.2j-
16.1_19.1.x86_64.rpm .....[fertig]
Delta anwenden: ./libopenssl1_0_0-1.0.2j-
16.1_19.1.x86_64.rpm .....[fertig]
Paket libopenssl1_0_0-32bit-1.0.2j-19.1.x86_64 abrufen
(29/90), 837,9 KiB ( 2,4 MiB entpackt)
Delta abrufen: ./x86_64/libopenssl1_0_0-32bit-1.0.2j-
16.1_19.1.x86_64.rpm, 91,4 KiB
Abrufen: libopenssl1_0_0-32bit-1.0.2j-
16.1_19.1.x86_64.rpm .....[fertig]
Delta anwenden: ./libopenssl1_0_0-32bit-1.0.2j-
16.1_19.1.x86_64.rpm .....[fertig]
Paket libquadmath0-7.3.1+r258812-10.1.x86_64 abrufen
(30/90), 140,9 KiB (251,1 KiB entpackt)
Delta abrufen: ./x86_64/libquadmath0-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm, 13,9 KiB
Abrufen: libquadmath0-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm .....[fertig (13,9 KiB/s)]

Delta anwenden: ./libquadmath0-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm .....[fertig]
Paket libreoffice-branding-upstream-6.0.4.2-21.1.noarch abrufen
(31/90), 277,5 KiB (244,6 KiB entpackt)
Abrufen: libreoffice-branding-upstream-6.0.4.2-
21.1.noarch.rpm .....[fertig]
Paket librsvg-2-2-2.40.20-15.1.x86_64 abrufen
(32/90), 272,4 KiB ( 1,0 MiB
entpackt)
Delta abrufen: ./x86_64/librsvg-2-2-2.40.18_2.40.20-
12.1_15.1.x86_64.rpm, 68,2 KiB
Abrufen: librsvg-2-2-2.40.18_2.40.20-
12.1_15.1.x86_64.rpm .....[fertig]
Delta anwenden: ./librsvg-2-2-2.40.18_2.40.20-
12.1_15.1.x86_64.rpm .....[fertig]
Paket mozilla-nspr-4.19-17.3.1.x86_64 abrufen
```

(33/90), 115,0 KiB (271,7 KiB
entpackt)
Delta abrufen: ./x86_64/mozilla-nspr-4.13.1_4.19-
16.3_17.3.1.x86_64.rpm, 40,8 KiB
Abrufen: mozilla-nspr-4.13.1_4.19-
16.3_17.3.1.x86_64.rpm
.....[fertig]
Delta anwenden: ./mozilla-nspr-4.13.1_4.19-16.3_17.3.1.x86_64.rpm
.....[fertig]
Paket perl-base-5.18.2-12.1.x86_64 abrufen
(34/90), 1,1 MiB (3,4 MiB
entpackt)
Delta abrufen: ./x86_64/perl-base-5.18.2-9.1_12.1.x86_64.rpm,
132,0 KiB
Abrufen: perl-base-5.18.2-
9.1_12.1.x86_64.rpm
.....[fertig]
Delta anwenden: ./perl-base-5.18.2-
9.1_12.1.x86_64.rpm
.....[fertig]
Paket python-solv-0.6.34-9.1.x86_64 abrufen
(35/90), 440,8 KiB (1,4 MiB
entpackt)
Delta abrufen: ./x86_64/python-solv-0.6.32_0.6.34-
6.1_9.1.x86_64.rpm, 61,3 KiB
Abrufen: python-solv-0.6.32_0.6.34-
6.1_9.1.x86_64.rpm
.....[fertig]
Delta anwenden: ./python-solv-0.6.32_0.6.34-
6.1_9.1.x86_64.rpm
[fertig]
Paket timezone-2018e-51.1.x86_64 abrufen
(36/90), 361,8 KiB (1,2 MiB
entpackt)
Abrufen: timezone-2018e-
51.1.x86_64.rpm
.....[fertig (4,8 MiB/s)]
Paket drm-kmp-default-4.9.33_k4.4.126_48-13.3.x86_64 abrufen
(37/90), 2,5 MiB (12,6 MiB entpackt)
Delta abrufen: ./x86_64/drm-kmp-default-
4.9.33_k4.4.120_45_4.9.33_k4.4.126_48-10.2_13.3.x86_64.rpm, 190,2
KiB
Abrufen: drm-kmp-default-4.9.33_k4.4.120_45_4.9.33_k4.4.126_48-
10.2_13.3.x86_64.rpm[fertig]
Delta anwenden: ./drm-kmp-default-
4.9.33_k4.4.120_45_4.9.33_k4.4.126_48-
10.2_13.3.x86_64.rpm[fertig]
Paket libstdc++6-7.3.1+r258812-10.1.x86_64 abrufen

(38/90), 373,1 KiB (1,5 MiB entpackt)
Delta abrufen: ./x86_64/libstdc++6-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm, 55,8 KiB
Abrufen: libstdc++6-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm [fertig]
Delta anwenden: ./libstdc++6-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm [fertig]
Paket libstdc++6-32bit-7.3.1+r258812-10.1.x86_64 abrufen
(39/90), 401,5 KiB (1,5 MiB entpackt)
Delta abrufen: ./x86_64/libstdc++6-32bit-
7.3.1+r258313_7.3.1+r258812-6.1_10.1.x86_64.rpm, 66,8 KiB
Abrufen: libstdc++6-32bit-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm [fertig]
Delta anwenden: ./libstdc++6-32bit-7.3.1+r258313_7.3.1+r258812-
6.1_10.1.x86_64.rpm [fertig]
Paket gdk-pixbuf-loader-rsvg-2.40.20-15.1.x86_64 abrufen
(40/90), 27,3 KiB (10,3 KiB entpackt)
Abrufen: gdk-pixbuf-loader-rsvg-2.40.20-
15.1.x86_64.rpm
..[fertig]
Paket mozilla-nss-certs-3.36.1-47.1.x86_64 abrufen
(41/90), 241,4 KiB (523,8 KiB entpackt)
Delta abrufen: ./x86_64/mozilla-nss-certs-3.28.6_3.36.1-
44.1_47.1.x86_64.rpm, 117,5 KiB
Abrufen: mozilla-nss-certs-3.28.6_3.36.1-
44.1_47.1.x86_64.rpm
. [fertig]
Delta anwenden: ./mozilla-nss-certs-3.28.6_3.36.1-
44.1_47.1.x86_64.rpm [fertig]
Paket yast2-packager-3.2.26-6.1.x86_64 abrufen
(42/90), 201,0 KiB (802,2 KiB
entpackt)
Delta abrufen: ./x86_64/yast2-packager-3.2.25_3.2.26-
3.1_6.1.x86_64.rpm, 50,9 KiB
Abrufen: yast2-packager-3.2.25_3.2.26-
3.1_6.1.x86_64.rpm
.... [fertig]
Delta anwenden: ./yast2-packager-3.2.25_3.2.26-3.1_6.1.x86_64.rpm
..... [fertig]
Paket perl-5.18.2-12.1.x86_64 abrufen
(43/90), 6,4 MiB (37,6
MiB entpackt)
Delta abrufen: ./x86_64/perl-5.18.2-9.1_12.1.x86_64.rpm, 572,4
KiB
Abrufen: perl-5.18.2-
9.1_12.1.x86_64.rpm

```
.....[fertig]
Delta anwenden: ./perl-5.18.2-
9.1_12.1.x86_64.rpm .....
.....[fertig]
Paket openssl-1.0.2j-19.1.x86_64 abrufen
(44/90), 659,3 KiB ( 1,5 MiB
entpackt)
Delta abrufen: ./x86_64/openssl-1.0.2j-16.1_19.1.x86_64.rpm, 69,3
KiB
Abrufen: openssl-1.0.2j-
16.1_19.1.x86_64.rpm .....
.....[fertig]
Delta anwenden: ./openssl-1.0.2j-
16.1_19.1.x86_64.rpm .....
.....[fertig]
Paket yast2-storage-3.2.16.2-6.1.x86_64 abrufen
(45/90), 275,3 KiB ( 1,5 MiB
entpackt)
Delta abrufen: ./x86_64/yast2-storage-3.2.16.1_3.2.16.2-
3.1_6.1.x86_64.rpm, 60,8 KiB
Abrufen: yast2-storage-3.2.16.1_3.2.16.2-
3.1_6.1.x86_64.rpm .....
.[fertig]
Delta anwenden: ./yast2-storage-3.2.16.1_3.2.16.2-
3.1_6.1.x86_64.rpm .....[fertig]

Paket libtiff5-4.0.9-28.1.x86_64 abrufen
(46/90), 204,8 KiB (494,0 KiB
entpackt)
Delta abrufen: ./x86_64/libtiff5-4.0.9-24.1_28.1.x86_64.rpm, 68,8
KiB
Abrufen: libtiff5-4.0.9-
24.1_28.1.x86_64.rpm .....
.....[fertig]
Delta anwenden: ./libtiff5-4.0.9-
24.1_28.1.x86_64.rpm .....
.....[fertig]
Paket libsolv-tools-0.6.34-9.1.x86_64 abrufen
(47/90), 542,0 KiB ( 4,3 MiB
entpackt)
Delta abrufen: ./x86_64/libsolv-tools-0.6.32_0.6.34-
6.1_9.1.x86_64.rpm, 64,9 KiB
Abrufen: libsolv-tools-0.6.32_0.6.34-
6.1_9.1.x86_64.rpm .....[fertig
(249,5 KiB/s)]
Delta anwenden: ./libsolv-tools-0.6.32_0.6.34-
6.1_9.1.x86_64.rpm .....[fertig]
```

```
Paket libraw15-0.17.1-20.1.x86_64 abrufen
                                              (48/90), 224,7 KiB ( 1,5 MiB
entpackt)
Delta abrufen: ./x86_64/libraw15-0.17.1-17.1_20.1.x86_64.rpm,
38,3 KiB
Abrufen: libraw15-0.17.1-
17.1_20.1.x86_64.rpm .....[fertig]
Delta anwenden: ./libraw15-0.17.1-
17.1_20.1.x86_64.rpm .....[fertig]
Paket kdepim-addons-17.04.2-6.1.x86_64 abrufen
                                              (49/90), 789,3 KiB ( 4,0 MiB
entpackt)
Delta abrufen: ./x86_64/kdepim-addons-17.04.2-3.1_6.1.x86_64.rpm,
146,3 KiB
Abrufen: kdepim-addons-17.04.2-
3.1_6.1.x86_64.rpm .....[fertig]
Delta anwenden: ./kdepim-addons-17.04.2-
3.1_6.1.x86_64.rpm ..[fertig]
Paket libsoftokn3-3.36.1-47.1.x86_64 abrufen
                                              (50/90), 218,8 KiB (377,1 KiB
entpackt)
Abrufen: libsoftokn3-3.36.1-
47.1.x86_64.rpm .....[fertig]
Paket yast2-network-3.2.51-9.1.noarch abrufen
                                              (51/90), 217,0 KiB (808,0 KiB
entpackt)
Delta abrufen: ./noarch/yast2-network-3.2.44_3.2.51-
6.1_9.1.noarch.rpm, 71,7 KiB
Abrufen: yast2-network-3.2.44_3.2.51-
6.1_9.1.noarch.rpm .....[fertig]
Delta anwenden: ./yast2-network-3.2.44_3.2.51-
6.1_9.1.noarch.rpm ..[fertig]
Paket autoyast2-installation-3.2.29-6.1.noarch abrufen
                                              (52/90), 164,4 KiB (679,4 KiB entpackt)
Delta abrufen: ./noarch/autoyast2-installation-3.2.22_3.2.29-
3.1_6.1.noarch.rpm, 54,8 KiB
Abrufen: autoyast2-installation-3.2.22_3.2.29-
3.1_6.1.noarch.rpm .....[fertig (148,4
KiB/s)]
Delta anwenden: ./autoyast2-installation-3.2.22_3.2.29-
3.1_6.1.noarch.rpm .....[fertig]
```

```
Paket libMagickCore-6_Q16-1-6.8.8.1-61.2.x86_64 abrufen  
      (53/90),   1,6 MiB (  6,1 MiB entpackt)  
Abrufen: libMagickCore-6_Q16-1-6.8.8.1-  
61.2.x86_64.rpm .....  
...[fertig]  
Paket libGraphicsMagick-Q16-3-1.3.25-87.1.x86_64 abrufen  
      (54/90),   1,1 MiB (  4,2 MiB entpackt)  
Abrufen: libGraphicsMagick-Q16-3-1.3.25-  
87.1.x86_64.rpm ..... [fertig  
(85,7 KiB/s)]  
Paket libzypp-16.17.12-24.1.x86_64 abrufen  
      (55/90),   2,0 MiB (  7,3 MiB  
entpackt)  
Delta abrufen: ./x86_64/libzypp-16.17.10_16.17.12-  
21.1_24.1.x86_64.rpm, 282,5 KiB  
Abrufen: libzypp-16.17.10_16.17.12-  
21.1_24.1.x86_64.rpm .....  
.....[fertig]  
Delta anwenden: ./libzypp-16.17.10_16.17.12-  
21.1_24.1.x86_64.rpm .....  
[fertig]  
Paket kdepim-addons-lang-17.04.2-6.1.noarch abrufen  
      (56/90), 404,1 KiB (  2,6 MiB entpackt)  
Delta abrufen: ./noarch/kdepim-addons-lang-17.04.2-  
3.1_6.1.noarch.rpm, 83,6 KiB  
Abrufen: kdepim-addons-lang-17.04.2-  
3.1_6.1.noarch.rpm .....  
.....[fertig]  
Delta anwenden: ./kdepim-addons-lang-17.04.2-  
3.1_6.1.noarch.rpm .....  
[fertig]  
Paket mozilla-nss-3.36.1-47.1.x86_64 abrufen  
      (57/90), 649,3 KiB (  1,8 MiB  
entpackt)  
Abrufen: mozilla-nss-3.36.1-  
47.1.x86_64.rpm .....  
.....[fertig]  
Paket libMagickWand-6_Q16-1-6.8.8.1-61.2.x86_64 abrufen  
      (58/90), 321,3 KiB (  1,1 MiB entpackt)  
Abrufen: libMagickWand-6_Q16-1-6.8.8.1-  
61.2.x86_64.rpm .....  
...[fertig]  
Paket MozillaFirefox-60.0-95.1.x86_64 abrufen  
      (59/90), 40,9 MiB (152,5 MiB  
entpackt)  
Abrufen: MozillaFirefox-60.0-  
95.1.x86_64.rpm .....  
. [fertig (4,8 MiB/s)]
```

```
Paket libreoffice-icon-themes-6.0.4.2-21.1.noarch abrufen
(60/90), 6,7 MiB ( 17,9 MiB entpackt)
Delta abrufen: ./noarch/libreoffice-icon-themes-6.0.3.2_6.0.4.2-
18.1_21.1.noarch.rpm, 1,2 MiB
Abrufen: libreoffice-icon-themes-6.0.3.2_6.0.4.2-
18.1_21.1.noarch.rpm .....
[fertig]
Delta anwenden: ./libreoffice-icon-themes-6.0.3.2_6.0.4.2-
18.1_21.1.noarch.rpm .....[fertig]
Paket ImageMagick-6.8.8.1-61.2.x86_64 abrufen
(61/90), 170,1 KiB (390,0 KiB
entpackt)
Abrufen: ImageMagick-6.8.8.1-
61.2.x86_64.rpm .....
[fertig]
Paket MozillaFirefox-translations-common-60.0-95.1.x86_64 abrufen
(62/90), 9,7 MiB ( 54,9 MiB entpackt)
Abrufen: MozillaFirefox-translations-common-60.0-
95.1.x86_64.rpm .....[fertig (5,3
MiB/s)]
Paket libreoffice-l10n-en-6.0.4.2-21.1.noarch abrufen
(63/90), 2,7 MiB ( 24,5 MiB entpackt)
Abrufen: libreoffice-l10n-en-6.0.4.2-
21.1.noarch.rpm .....[fertig (5,6 MiB/s)]
Paket libreoffice-6.0.4.2-21.1.x86_64 abrufen
(64/90), 65,7 MiB (239,9 MiB
entpackt)
Delta abrufen: ./x86_64/libreoffice-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm, 27,7 MiB
Abrufen: libreoffice-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm .....[fertig
(4,5 MiB/s)]
Delta anwenden: ./libreoffice-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm .....[fertig]
Paket libreoffice-base-6.0.4.2-21.1.x86_64 abrufen
(65/90), 2,6 MiB ( 11,1 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-base-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm, 235,2 KiB
Abrufen: libreoffice-base-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm .....[fertig]
Delta anwenden: ./libreoffice-base-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm .....[fertig]
Paket libreoffice-calc-6.0.4.2-21.1.x86_64 abrufen
(66/90), 6,9 MiB ( 28,4 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-calc-6.0.3.2_6.0.4.2-
```

18.1_21.1.x86_64.rpm, 721,0 KiB
Abrufen: libreoffice-calc-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm
[fertig]
Delta anwenden: ./libreoffice-calc-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Paket libreoffice-draw-6.0.4.2-21.1.x86_64 abrufen
(67/90), 411,7 KiB (596,8 KiB entpackt)
Abrufen: libreoffice-draw-6.0.4.2-
21.1.x86_64.rpm
..... [fertig]
Paket libreoffice-impress-6.0.4.2-21.1.x86_64 abrufen
(68/90), 783,8 KiB (2,4 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-impress-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm, 230,9 KiB
Abrufen: libreoffice-impress-6.0.3.2_6.0.4.2-18.1_21.1.x86_64.rpm
..... [fertig]
Delta anwenden: ./libreoffice-impress-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Paket libreoffice-l10n-de-6.0.4.2-21.1.noarch abrufen
(69/90), 3,7 MiB (30,1 MiB entpackt)
Abrufen: libreoffice-l10n-de-6.0.4.2-
21.1.noarch.rpm [fertig
(5,3 MiB/s)]
Paket libreoffice-math-6.0.4.2-21.1.x86_64 abrufen
(70/90), 597,7 KiB (1,6 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-math-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm, 225,1 KiB
Abrufen: libreoffice-math-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm
[fertig]
Delta anwenden: ./libreoffice-math-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Paket libreoffice-writer-6.0.4.2-21.1.x86_64 abrufen
(71/90), 3,4 MiB (14,7 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-writer-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm, 537,3 KiB
Abrufen: libreoffice-writer-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig (4,5
MiB/s)]
Delta anwenden: ./libreoffice-writer-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Paket libreoffice-pyuno-6.0.4.2-21.1.x86_64 abrufen
(72/90), 583,9 KiB (1,3 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-pyuno-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm, 238,8 KiB
Abrufen: libreoffice-pyuno-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm

[fertig]
Delta anwenden: ./libreoffice-pyuno-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Paket libreoffice-kde4-6.0.4.2-21.1.x86_64 abrufen
(73/90), 281,1 KiB (233,3 KiB entpackt)
Abrufen: libreoffice-kde4-6.0.4.2-
21.1.x86_64.rpm
..... [fertig]
Paket libreoffice-filters-optional-6.0.4.2-21.1.x86_64 abrufen
(74/90), 539,9 KiB (4,3 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-filters-optional-
6.0.3.2_6.0.4.2-18.1_21.1.x86_64.rpm, 229,4 KiB
Abrufen: libreoffice-filters-optional-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Delta anwenden: ./libreoffice-filters-optional-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Paket libreoffice-base-drivers-mysql-6.0.4.2-21.1.x86_64 abrufen
(75/90), 409,8 KiB (835,4 KiB entpackt)
Abrufen: libreoffice-base-drivers-mysql-6.0.4.2-
21.1.x86_64.rpm [fertig (1,5
MiB/s)]
Paket libreoffice-mailmerge-6.0.4.2-21.1.x86_64 abrufen
(76/90), 228,8 KiB (36,4 KiB entpackt)
Abrufen: libreoffice-mailmerge-6.0.4.2-
21.1.x86_64.rpm
... [fertig]
Paket libreoffice-calc-extensions-6.0.4.2-21.1.x86_64 abrufen
(77/90), 1009,8 KiB (1,9 MiB entpackt)
Delta abrufen: ./x86_64/libreoffice-calc-extensions-
6.0.3.2_6.0.4.2-18.1_21.1.x86_64.rpm, 364,4 KiB
Abrufen: libreoffice-calc-extensions-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Delta anwenden: ./libreoffice-calc-extensions-6.0.3.2_6.0.4.2-
18.1_21.1.x86_64.rpm [fertig]
Paket normalize-0.7.7-4.2.x86_64 abrufen
(78/90), 60,8 KiB (159,8 KiB
entpackt)
Abrufen: normalize-0.7.7-
4.2.x86_64.rpm
.... [fertig (2,5 KiB/s)]
Paket libHalf23-2.2.1-3.2.x86_64 abrufen
(79/90), 23,1 KiB (266,1 KiB
entpackt)
Abrufen: libHalf23-2.2.1-
3.2.x86_64.rpm
.... [fertig]
Paket libffms2-4-2.23.1-3.8.x86_64 abrufen
(80/90), 62,0 KiB (145,3 KiB

```
entpackt)
Abrufen: libffms2-4-2.23.1-
3.8.x86_64.rpm .....[fertig]
Paket libx265-151-2.7-3.2.x86_64 abrufen
(81/90), 538,9 KiB ( 3,2 MiB
entpackt)
Abrufen: libx265-151-2.7-
3.2.x86_64.rpm .....[fertig (328,4 KiB/s)]
Paket k3b-18.04.1-10.1.x86_64 abrufen
(82/90), 6,6 MiB ( 15,2
MiB entpackt)
Abrufen: k3b-18.04.1-
10.1.x86_64.rpm .....[fertig (386,6 KiB/s)]
Paket libIex-2_2-23-2.2.1-3.2.x86_64 abrufen
(83/90), 29,5 KiB (130,4 KiB
entpackt)
Abrufen: libIex-2_2-23-2.2.1-
3.2.x86_64.rpm .....[fertig]
Paket gstreamer-0_10-plugins-bad-0.10.23-29.15.65.x86_64 abrufen
(84/90), 1,4 MiB ( 5,0 MiB entpackt)
Abrufen: gstreamer-0_10-plugins-bad-0.10.23-
29.15.65.x86_64.rpm .....[fertig (302,2
KiB/s)]
Paket audacity-2.2.2-16.27.x86_64 abrufen
(85/90), 3,4 MiB ( 11,4 MiB
entpackt)
Abrufen: audacity-2.2.2-
16.27.x86_64.rpm .....[fertig (368,7 KiB/s)]
Paket x264-0.152svn20180305-3.1.x86_64 abrufen
(86/90), 64,0 KiB (157,0 KiB
entpackt)
Abrufen: x264-0.152svn20180305-
3.1.x86_64.rpm .....[fertig]
Paket x265-2.7-3.2.x86_64 abrufen
(87/90), 55,2 KiB
( 94,2 KiB entpackt)
Abrufen: x265-2.7-
3.2.x86_64.rpm .....[fertig]
Paket k3b-lang-18.04.1-10.1.noarch abrufen
(88/90), 3,9 MiB ( 15,3 MiB
entpackt)
```

```
Abrufen: k3b-lang-18.04.1-
10.1.noarch.rpm .....
..[fertig (360,7 KiB/s)]
Paket gstreamer-0_10-plugins-bad-lang-0.10.23-29.15.65.noarch
abrufen (89/90), 64,2 KiB ( 66,8 KiB entpackt)
Abrufen: gstreamer-0_10-plugins-bad-lang-0.10.23-
29.15.65.noarch.rpm .....
[fertig]
Paket audacity-lang-2.2.2-16.27.noarch abrufen
(90/90), 1,3 MiB ( 8,0 MiB
entpackt)
Abrufen: audacity-lang-2.2.2-
16.27.noarch.rpm .....
[fertig (337,8 KiB/s)]
Überprüfung auf Dateikonflikte
läuft: .....
.....[fertig]
( 1/90) Installieren: youtube-dl-2018.05.09-
1.1.noarch .....
[fertig]
( 2/90) Installieren: libgstdcodecparsers-0_10-23-0.10.23-
29.15.65.x86_64 .....[fertig]
( 3/90) Installieren: libfdk-aac1-0.1.6-
1.1.x86_64 .....
..[fertig]
( 4/90) Installieren: libfaad2-2.8.8-
1.2.x86_64 .....
.....[fertig]
( 5/90) Installieren: libdca0-0.0.5-
3.4.x86_64 .....
.....[fertig]
( 6/90) Installieren: libgstsignalprocessor-0_10-23-0.10.23-
29.15.65.x86_64 .....[fertig]
( 7/90) Installieren: librtmp1-2.4.20151223.fa8646d-
1.4.x86_64 .....[fertig]
( 8/90) Installieren: libvo-aacenc0-0.1.3-
1.2.x86_64 .....
[fertig]
( 9/90) Installieren: libgstvdp-0_10-23-0.10.23-
29.15.65.x86_64 .....
[fertig]
(10/90) Installieren: libopencore-amrnb0-0.1.5-
1.4.x86_64 .....
[fertig]
(11/90) Installieren: libgstbasevideo-0_10-23-0.10.23-
29.15.65.x86_64 .....[fertig]
(12/90) Installieren: libvo-amrwrbenc0-0.1.3-
1.2.x86_64 .....
```

```
[fertig]
(13/90) Installieren: libopencore-amrwb0-0.1.5-
1.4.x86_64 .....
[fertig]
(14/90) Installieren: libgstphotography-0_10-23-0.10.23-
29.15.65.x86_64 .....[fertig]
(15/90) Installieren: libx264-152-0.152svn20180305-
3.1.x86_64 .....[fertig]
(16/90) Installieren: libgstdbasecamerabinsrc-0_10-23-0.10.23-
29.15.65.x86_64 .....[fertig]
(17/90) Installieren: libfaac0-1.29.9.2-
2.2.x86_64 .....
..[fertig]
(18/90) Installieren: gstreamer-plugins-ugly-lang-1.8.3-
10.6.noarch .....[fertig]
(19/90) Installieren: smplayer-skins-15.2.0-
1.3.noarch .....
[fertig]
(20/90) Installieren: cpp48-4.8.5-
35.1.x86_64 .....
.....[fertig]
(21/90) Installieren: kernel-default-4.4.126-
48.2.x86_64 .....
[fertig]
Zusätzliche rpm-Ausgabe:
Creating initrd: /boot/initrd-4.4.126-48-default
```

```
dracut: Executing: /usr/bin/dracut --logfile
/var/log/YaST2/mkinitrd.log --force /boot/initrd-4.4.126-48-
default 4.4
.126-48-default
```

```
dracut: *** Including module: bash ***
```

```
dracut: *** Including module: systemd ***
```

```
dracut: *** Including module: warpclock ***
```

```
dracut: *** Including module: systemd-initrd ***
```

```
dracut: *** Including module: i18n ***
```

```
dracut: Could not find FONT_MAP none!

dracut: *** Including module: drm ***

dracut: *** Including module: plymouth ***

dracut: *** Including module: btrfs ***

dracut: *** Including module: kernel-modules ***

dracut: *** Including module: resume ***

dracut: *** Including module: rootfs-block ***

dracut: *** Including module: suse-btrfs ***

dracut: *** Including module: suse-xfs ***

dracut: *** Including module: terminfo ***

dracut: *** Including module: udev-rules ***

dracut: Skipping udev rule: 40-redhat.rules

dracut: Skipping udev rule: 50-firmware.rules

dracut: Skipping udev rule: 50-udev.rules

dracut: Skipping udev rule: 91-permissions.rules

dracut: Skipping udev rule: 80-drivers-modprobe.rules
```

dracut: *** Including module: dracut-systemd ***

dracut: *** Including module: haveged ***

dracut: *** Including module: usrmount ***

dracut: *** Including module: base ***

dracut: *** Including module: fs-lib ***

dracut: *** Including module: shutdown ***

dracut: *** Including module: suse ***

dracut: *** Including modules done ***

dracut: *** Installing kernel module dependencies and firmware ***

dracut: *** Installing kernel module dependencies and firmware
done ***

dracut: *** Resolving executable dependencies ***

dracut: *** Resolving executable dependencies done***

dracut: *** Hardlinking files ***

dracut: *** Hardlinking files done ***

dracut: *** Stripping files ***

dracut: *** Stripping files done ***

dracut: *** Generating early-microcode cpio image ***

dracut: *** Constructing GenuineIntel.bin ***

```
dracut: *** Store current command line parameters ***

dracut: Stored kernel commandline:

dracut: resume=UUID=2cb8b287-2a35-4b98-bc23-31922a9dc4ec

dracut: root=UUID=ddd29588-747b-4685-8d01-72099f1d7f0c
rootfstype=btrfs rootflags=rw,relatime,ssd,space_cache,subvo
lid=259,subvol=@/.snapshots/1/snapshot,subvol=@/.snapshots/1/snap
shot
dracut: *** Creating image file '/boot/initrd-4.4.126-48-default'
 ***
dracut: *** Creating initramfs image file '/boot/initrd-4.4.126-
48-default' done ***

(22/90) Installieren: kpartx-0.7.1+101+suse.1d10b44f-
9.1.x86_64 ..... [fertig]
(23/90) Installieren: libGraphicsMagick3-config-1.3.25-87.1.x86_64
..... [fertig]
(24/90) Installieren: libfreebl3-3.36.1-
47.1.x86_64 .. [fertig]
(25/90) Installieren: libgcc_s1-7.3.1+r258812-
10.1.x86_64 .. [fertig]
(26/90) Installieren: libgcc_s1-32bit-7.3.1+r258812-
10.1.x86_64 .. [fertig]
(27/90) Installieren: libgomp1-7.3.1+r258812-
10.1.x86_64 .. [fertig]
(28/90) Installieren: libopenssl1_0_0-1.0.2j-
19.1.x86_64 .. [fertig]
(29/90) Installieren: libopenssl1_0_0-32bit-1.0.2j-
19.1.x86_64 .. [fertig]
(30/90) Installieren: libquadmath0-7.3.1+r258812-
10.1.x86_64 .. [fertig]
(31/90) Installieren: libreoffice-branding-upstream-6.0.4.2-
21.1.noarch .. [fertig]
(32/90) Installieren: librsvg-2-2-2.40.20-
15.1.x86_64 ..
```

```
[fertig]
(33/90) Installieren: mozilla-nspr-4.19-
17.3.1.x86_64 .....
..[fertig]
(34/90) Installieren: perl-base-5.18.2-
12.1.x86_64 .....
...[fertig]
(35/90) Installieren: python-solv-0.6.34-
9.1.x86_64 .....
.[fertig]
(36/90) Installieren: timezone-2018e-
51.1.x86_64 .....
.....[fertig]
(37/90) Installieren: drm-kmp-default-4.9.33_k4.4.126_48-
13.3.x86_64 .....[fertig]
(38/90) Installieren: libstdc++6-7.3.1+r258812-
10.1.x86_64 .....
[fertig]
(39/90) Installieren: libstdc++6-32bit-7.3.1+r258812-
10.1.x86_64 .....[fertig]
(40/90) Installieren: gdk-pixbuf-loader-rsvg-2.40.20-
15.1.x86_64 .....[fertig]
(41/90) Installieren: mozilla-nss-certs-3.36.1-
47.1.x86_64 .....
[fertig]
(42/90) Installieren: yast2-packager-3.2.26-
6.1.x86_64 .....
[fertig]
(43/90) Installieren: perl-5.18.2-
12.1.x86_64 .....
.....[fertig]
(44/90) Installieren: openssl-1.0.2j-
19.1.x86_64 .....
.....[fertig]
(45/90) Installieren: yast2-storage-3.2.16.2-
6.1.x86_64 .....
[fertig]
Zusätzliche rpm-Ausgabe:
Updating /etc/sysconfig/storage...
```

```
(46/90) Installieren: libtiff5-4.0.9-
28.1.x86_64 .....
.....[fertig]
```

```
(47/90) Installieren: libsolv-tools-0.6.34-
9.1.x86_64 ..... [fertig]
(48/90) Installieren: libraw15-0.17.1-
20.1.x86_64 ..... [fertig]
(49/90) Installieren: kdepim-addons-17.04.2-
6.1.x86_64 ..... [fertig]
(50/90) Installieren: libsoftokn3-3.36.1-
47.1.x86_64 ..... [.fertig]
(51/90) Installieren: yast2-network-3.2.51-
9.1.noarch ..... [fertig]
(52/90) Installieren: autoyast2-installation-3.2.29-
6.1.noarch ..... [fertig]
(53/90) Installieren: libMagickCore-6_Q16-1-6.8.8.1-
61.2.x86_64 ..... [fertig]
(54/90) Installieren: libGraphicsMagick-Q16-3-1.3.25-
87.1.x86_64 ..... [fertig]
(55/90) Installieren: libzypp-16.17.12-
24.1.x86_64 ..... ...[fertig]
(56/90) Installieren: kdepim-addons-lang-17.04.2-
6.1.noarch ..... [fertig]
(57/90) Installieren: mozilla-nss-3.36.1-
47.1.x86_64 ..... [.fertig]
(58/90) Installieren: libMagickWand-6_Q16-1-6.8.8.1-
61.2.x86_64 ..... [fertig]
(59/90) Installieren: MozillaFirefox-60.0-
95.1.x86_64 ..... [fertig]
Zusätzliche rpm-Ausgabe:
Unknown media type in type 'all/all'
```

Unknown media type in type 'all/allfiles'

```
(60/90) Installieren: libreoffice-icon-themes-6.0.4.2-
21.1.noarch ..... [fertig]
```

```
(61/90) Installieren: ImageMagick-6.8.8.1-
61.2.x86_64 .....[fertig]
(62/90) Installieren: MozillaFirefox-translations-common-60.0-
95.1.x86_64 .....[fertig]
(63/90) Installieren: libreoffice-l10n-en-6.0.4.2-
21.1.noarch .....[fertig]
```

```
(64/90) Installieren: libreoffice-6.0.4.2-
21.1.x86_64 .....[fertig]
```

Zusätzliche rpm-Ausgabe:
Unknown media type in type 'all/all'

Unknown media type in type 'all/allfiles'

```
(65/90) Installieren: libreoffice-base-6.0.4.2-
21.1.x86_64 .....[fertig]
(66/90) Installieren: libreoffice-calc-6.0.4.2-
21.1.x86_64 .....[fertig]
(67/90) Installieren: libreoffice-draw-6.0.4.2-
21.1.x86_64 .....[fertig]
(68/90) Installieren: libreoffice-impress-6.0.4.2-
21.1.x86_64 .....[fertig]
```

```
(69/90) Installieren: libreoffice-l10n-de-6.0.4.2-
21.1.noarch .....[fertig]
```

```
(70/90) Installieren: libreoffice-math-6.0.4.2-
21.1.x86_64 .....[fertig]
```

```
(71/90) Installieren: libreoffice-writer-6.0.4.2-
21.1.x86_64 .....[fertig]
```

```
(72/90) Installieren: libreoffice-pyuno-6.0.4.2-
21.1.x86_64 .....[fertig]
```

```
(73/90) Installieren: libreoffice-kde4-6.0.4.2-
21.1.x86_64 .....
```

```
[fertig]
(74/90) Installieren: libreoffice-filters-optional-6.0.4.2-
21.1.x86_64 .....[fertig]
(75/90) Installieren: libreoffice-base-drivers-mysql-6.0.4.2-
21.1.x86_64 .....[fertig]
(76/90) Installieren: libreoffice-mailmerge-6.0.4.2-
21.1.x86_64 .....[fertig]
(77/90) Installieren: libreoffice-calc-extensions-6.0.4.2-
21.1.x86_64 .....[fertig]
(78/90) Installieren: normalize-0.7.7-
4.2.x86_64 .....[fertig]
(79/90) Installieren: libHalf23-2.2.1-
3.2.x86_64 .....[fertig]
(80/90) Installieren: libffms2-4-2.23.1-
3.8.x86_64 ..[fertig]
(81/90) Installieren: libx265-151-2.7-
3.2.x86_64 .....[fertig]
(82/90) Installieren: k3b-18.04.1-
10.1.x86_64 .....[fertig]
(83/90) Installieren: libIex-2_2-23-2.2.1-
3.2.x86_64 .....[fertig]
(84/90) Installieren: gstreamer-0_10-plugins-bad-0.10.23-
29.15.65.x86_64 .....[fertig]
(85/90) Installieren: audacity-2.2.2-
16.27.x86_64 .....[fertig]
Zusätzliche rpm-Ausgabe:
Unknown media type in type 'all/all'
```

Unknown media type in type 'all/allfiles'

```
(86/90) Installieren: x264-0.152svn20180305-
3.1.x86_64 .....[fertig]
(87/90) Installieren: x265-2.7-
3.2.x86_64 .....
```

```
.....[fertig]
(88/90) Installieren: k3b-lang-18.04.1-
10.1.noarch .....
...[fertig]
(89/90) Installieren: gstreamer-0_10-plugins-bad-lang-0.10.23-
29.15.65.noarch .....[fertig]
(90/90) Installieren: audacity-lang-2.2.2-
16.27.noarch .....
[fertig]
Output of drm-kmp-default-4.9.33_k4.4.126_48-13.3.x86_64.rpm
%posttrans script:
    Creating initrd: /boot/initrd-4.4.126-48-default
    dracut: Executing: /usr/bin/dracut --logfile
/var/log/YaST2/mkinitrd.log --force /boot/initrd-4.4.126-48-
default
4.4.126-48-default
    dracut: *** Including module: bash ***
    dracut: *** Including module: systemd ***
    dracut: *** Including module: warpclock ***
    dracut: *** Including module: systemd-initrd ***
    dracut: *** Including module: i18n ***
    dracut: Could not find FONT_MAP none!
    dracut: *** Including module: drm ***
    dracut: *** Including module: plymouth ***
    dracut: *** Including module: btrfs ***
    dracut: *** Including module: kernel-modules ***
    dracut: *** Including module: resume ***
    dracut: *** Including module: rootfs-block ***
    dracut: *** Including module: suse-btrfs ***
    dracut: *** Including module: suse-xfs ***
    dracut: *** Including module: terminfo ***
    dracut: *** Including module: udev-rules ***
    dracut: Skipping udev rule: 40-redhat.rules
    dracut: Skipping udev rule: 50-firmware.rules
    dracut: Skipping udev rule: 50-udev.rules
    dracut: Skipping udev rule: 91-permissions.rules
    dracut: Skipping udev rule: 80-drivers-modprobe.rules
    dracut: *** Including module: dracut-systemd ***
    dracut: *** Including module: haveged ***
    dracut: *** Including module: usrmount ***
    dracut: *** Including module: base ***
    dracut: *** Including module: fs-lib ***
    dracut: *** Including module: shutdown ***
    dracut: *** Including module: suse ***
    dracut: *** Including modules done ***
    dracut: *** Installing kernel module dependencies and firmware
***
    dracut: *** Installing kernel module dependencies and firmware
```

```
done ***
dracut: *** Resolving executable dependencies ***
dracut: *** Resolving executable dependencies done ***
dracut: *** Hardlinking files ***
dracut: *** Hardlinking files done ***
dracut: *** Stripping files ***
dracut: *** Stripping files done ***
dracut: *** Generating early-microcode cpio image ***
dracut: *** Constructing GenuineIntel.bin ****
dracut: *** Store current command line parameters ***
dracut: Stored kernel commandline:
dracut: resume=UUID=2cb8b287-2a35-4b98-bc23-31922a9dc4ec
dracut: root=UUID=ddd29588-747b-4685-8d01-72099f1d7f0c
rootfstype=btrfs rootflags=rw,relatime,ssd,space_cache,s
ubvolid=259,subvol=@/.snapshots/1/snapshot,subvol=@/.snapshots/1/
snapshot
dracut: *** Creating image file '/boot/initrd-4.4.126-48-
default' ***
dracut: *** Creating initramfs image file '/boot/initrd-
4.4.126-48-default' done ***
```

Einige laufende Programme verwenden Dateien, die durch eine kürzliche Aktualisierung gelöscht wurden. Überprüfen Sie die Programme, und starten Sie sie ggf. neu. Mit 'zypper ps -s' rufen Sie eine Liste der Programme auf.