

Aug 11 18:04:52 NB1 systemd-udevd[226]: **Network** interface
NamePolicy= disabled by default.
t.

Aug 11 18:04:52 NB1 systemd-udevd[226]: **Network** interface
NamePolicy= disabled by default.
t.

Aug 11 18:04:55 NB1 systemd-udevd[414]: **Network** interface
NamePolicy= disabled by default.
t.

Aug 11 18:04:57 NB1 systemd[1]: Starting **Network** Time
Synchronization...

Aug 11 18:04:57 NB1 systemd[1]: Started **Network** Time
Synchronization.

Aug 11 18:04:57 NB1 avahi-daemon[936]: **Network** interface
enumeration completed.

Aug 11 18:04:57 NB1 systemd[1]: Starting **Network** Manager...

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.5681] **Network**Manager (vers
ion 1.10.6) is starting... (for the first time)

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.5681] Read config: /etc/**Ne**
tworkManager/**Network**Manager.conf

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.5722] manager[0x55a80333a0
f0]: monitoring kernel firmware directory '/lib/firmware'.

Aug 11 18:04:57 NB1 systemd[1]: Reached target Host and **Network**
Name Lookups.

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.7779] hostname: hostname:
using hostnamed

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.7779] hostname: hostname c
hanged from (none) to "NB1.fritz.box"

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.7782] dns-mgr[0x55a80335f1
30]: init: dns=default, rc-manager=netconfig

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.7792] rfkill1: found WiFi
radio killswitch (at
/sys/devices/pci0000:00/0000:00:1c.4/0000:02:00.0/ieee80211/phy0/r
f
kill1) (driver iwlwifi)

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.7793] manager[0x55a80333a0
f0]: rfkill: WiFi hardware radio set enabled

Aug 11 18:04:57 NB1 **Network**Manager[1021]: <info>
[1565539497.7793] manager[0x55a80333a0
f0]: rfkill: WWAN hardware radio set enabled

Aug 11 18:04:57 NB1 dbus-daemon[947]: [system] Activating via systemd: service name='org.freedesktop.nm_dispatcher' unit='dbus-org.freedesktop.nm-dispatcher.service' requested by ':1.5' (uid=0 pid=1021 comm="/usr/sbin/NetworkManager --no-daemon ")

Aug 11 18:04:57 NB1 systemd[1]: Started Network Manager.

Aug 11 18:04:58 NB1 systemd[1]: Starting Network Manager Script Dispatcher Service...

Aug 11 18:04:58 NB1 systemd[1]: Reached target Network.

Aug 11 18:04:58 NB1 systemd[1]: Reached target Network is Online.

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0600] settings: loaded plugin keyfile: (c) 2007 - 2016 Red Hat, Inc. To report bugs please use the NetworkManager mailing list.

Aug 11 18:04:58 NB1 systemd[1]: Started Network Manager Script Dispatcher Service.

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0720] keyfile: new connection /etc/NetworkManager/system-connections/Moto G Play 1317 (49aa7a24-8b5d-4b1b-9236-3b1910bdba3d,"Moto G Play 1317")

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0817] keyfile: new connection /etc/NetworkManager/system-connections/Zwischennetz (a1b7bfa2-2fa5-4661-8fa6-c1186ac10fe7,"Zwischennetz")

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0846] manager: rfkill: Wi-Fi enabled by radio killswitch; enabled by state file

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0846] manager: rfkill: WWAN enabled by radio killswitch; enabled by state file

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0846] manager: Networking is enabled by state file

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0851] dhcp-init: Using DHCP client 'dhclient'

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0851] Loaded device plugin: NMBondDeviceFactory (internal)

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0851] Loaded device plugin: NMBridgeDeviceFactory (internal)

Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0851] Loaded device plugin

```
: NMDummyDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0852] Loaded device plugin
: NMEthernetDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0852] Loaded device plugin
: NMInfinibandDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0852] Loaded device plugin
: NMIPPTunnelDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0852] Loaded device plugin
: NMMacsecDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0852] Loaded device plugin
: NMMacvlanDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0852] Loaded device plugin
: NMPppDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0852] Loaded device plugin
: NMTunDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0853] Loaded device plugin
: NMVethDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0853] Loaded device plugin
: NMVlanDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0853] Loaded device plugin
: NMVxlanDeviceFactory (internal)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0860] Loaded device plugin
: NMAtmManager (/usr/lib64/NetworkManager/libnm-device-plugin-
adsl.so)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0889] Loaded device plugin
: NMBluetoothManager (/usr/lib64/NetworkManager/libnm-device-plugin-
bluetooth.so)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0909] Loaded device plugin
: NMOvsFactory (/usr/lib64/NetworkManager/libnm-device-plugin-
ovs.so)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0928] Loaded device plugin
: NMTeamFactory (/usr/lib64/NetworkManager/libnm-device-plugin-
team.so)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
```

```
[1565539498.0947] Loaded device plugin
: NMWifiFactory (/usr/lib64/NetworkManager/libnm-device-plugin-
wifi.so)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0956] Loaded device plugin
: NMWwanFactory (/usr/lib64/NetworkManager/libnm-device-plugin-
wwan.so)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0964] device (lo): carrier
: link connected
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0969] manager: (lo): new G
eneric device (/org/freedesktop/NetworkManager/Devices/1)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0973] wifi-nl80211: (wlan0
): using nl80211 for WiFi device control
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0974] device (wlan0): driv
er supports Access Point (AP) mode
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0982] manager: (wlan0): ne
w 802.11 WiFi device (/org/freedesktop/NetworkManager/Devices/2)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.0992] device (wlan0): stat
e change: unmanaged -> unavailable (reason 'managed', sys-iface-
state: 'external')
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.2086] device (wlan0): set-
hw-addr: set MAC address to 2E:1A:14:21:8C:13 (scanning)
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.3063] ovsdb: Could not con
nect: No such file or directory
Aug 11 18:04:58 NB1 dbus-daemon[947]: [system] Activating via
systemd: service name='fi.
w1.wpa_supplicant1' unit='wpa_supplicant.service' requested by
':1.5' (uid=0 pid=1021 co
mm="/usr/sbin/NetworkManager --no-daemon ")
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.3077] bluez: use BlueZ ver
sion 5
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.3088] modem-manager: Modem
Manager available
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.3100] bluez5: NAP: added i
nterface F8:34:41:C8:D5:FB
Aug 11 18:04:58 NB1 NetworkManager[1021]: <info>
[1565539498.3826] supplicant: wpa_supp
```

licant running
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.3826] device (wlan0): supp
licant interface state: init -> starting
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.4456] sup-iface[0x55a8033e
1000,wlan0]: supports 5 scan SSIDs
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.4461] device (wlan0): supp
licant interface state: starting -> ready
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.4462] device (wlan0): stat
e change: unavailable -> disconnected (reason 'supplicant-
available', sys-iface-state: '
managed')
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.7807] device (vmnet1): dri
ver '(null)' does not support carrier detection.
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.7809] device (vmnet1): dri
ver 'unknown' does not support carrier detection.
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.7818] manager: (vmnet1): n
ew Ethernet device (/org/freedesktop/**NetworkManager**/Devices/3)
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.8156] device (vmnet8): dri
ver '(null)' does not support carrier detection.
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.8157] device (vmnet8): dri
ver 'unknown' does not support carrier detection.
Aug 11 18:04:58 NB1 **NetworkManager**[1021]: <info>
[1565539498.8166] manager: (vmnet8): n
ew Ethernet device (/org/freedesktop/**NetworkManager**/Devices/4)
Aug 11 18:05:02 NB1 **NetworkManager**[1021]: <info>
[1565539502.0974] manager: startup com
plete
Aug 11 18:05:43 NB1 **NetworkManager**[1021]: <info>
[1565539543.4968] policy: auto-activat
ing connection 'Zwischennetz'
Aug 11 18:05:43 NB1 **NetworkManager**[1021]: <info>
[1565539543.4979] device (wlan0): Acti
vation: starting connection 'Zwischennetz' (a1b7bfa2-2fa5-4661-
8fa6-c1186ac10fe7)
Aug 11 18:05:43 NB1 **NetworkManager**[1021]: <info>
[1565539543.4981] device (wlan0): stat
e change: disconnected -> prepare (reason 'none', sys-iface-state:
'managed')
Aug 11 18:05:43 NB1 **NetworkManager**[1021]: <info>

```
[1565539543.4982] manager: NetworkManager state is now CONNECTING
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.4992] device (wlan0): set-hw-addr: reset MAC address to F8:34:41:C8:D5:F7 (preserve)
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.5011] device (wlan0): state change: prepare -> config (reason 'none', sys-iface-state: 'managed')
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.5013] device (wlan0): Activation: (wifi) access point 'Zwischennetz' has security, but secrets are required.
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.5013] device (wlan0): state change: config -> need-auth (reason 'none', sys-iface-state: 'managed')
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.5014] sup-iface[0x55a8033e1000,wlan0]: wps: type pbc start...
Aug 11 18:05:43 NB1 NetworkManager[1021]: <warn>
[1565539543.5024] device (wlan0): No agents were available for this request.
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.5478] device (wlan0): supplicant interface state: ready -> disconnected
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.5495] device (wlan0): supplicant interface state: disconnected -> inactive
Aug 11 18:05:43 NB1 NetworkManager[1021]: <info>
[1565539543.5539] device (wlan0): supplicant interface state: inactive -> scanning
Aug 11 18:05:44 NB1 kmsserver[1738]: Qt: Session management error: networkIdsList argument is NULL
Aug 11 18:05:47 NB1 kdeconnectd[1782]: kdeconnect.core: Sending onNetworkChange to 1 LinkProviders
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7233] device (wlan0): state change: need-auth -> failed (reason 'no-secrets', sys-iface-state: 'managed')
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7243] manager: NetworkManager state is now DISCONNECTED
Aug 11 18:06:13 NB1 NetworkManager[1021]: <warn>
[1565539573.7250] device (wlan0): Activation: failed for connection 'Zwischennetz'
```



```
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7258] device (wlan0): state
change: failed -> disconnected (reason 'none', sys-iface-state:
'managed')
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7279] device (wlan0): set-
hw-addr: set MAC address to 5A:58:D4:15:4A:31 (scanning)
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7296] policy: set-hostname
: set hostname to 'NB1.fritz.box' (from system configuration)
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7479] device (wlan0): supp
licant interface state: scanning -> disconnected
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7514] device (wlan0): supp
licant interface state: disconnected -> inactive
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7550] policy: auto-activat
ing connection 'Zwischennetz'
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7558] device (wlan0): Acti
vation: starting connection 'Zwischennetz' (a1b7bfa2-2fa5-4661-
8fa6-c1186ac10fe7)
Aug 11 18:06:13 NB1 dbus-daemon[947]: [system] Activating via
systemd: service name='org
.freedesktop.hostname1' unit='dbus-
org.freedesktop.hostname1.service' requested by ':1.5
' (uid=0 pid=1021 comm="/usr/sbin/NetworkManager --no-daemon ")
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7560] device (wlan0): stat
e change: disconnected -> prepare (reason 'none', sys-iface-state:
'managed')
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7561] manager: NetworkMana
ger state is now CONNECTING
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7569] device (wlan0): set-
hw-addr: reset MAC address to F8:34:41:C8:D5:F7 (preserve)
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7603] device (wlan0): stat
e change: prepare -> config (reason 'none', sys-iface-state:
'managed')
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7605] device (wlan0): Acti
vation: (wifi) access point 'Zwischennetz' has security, but
secrets are required.
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7605] device (wlan0): stat
```

```
e change: config -> need-auth (reason 'none', sys-iface-state:
'managed')
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7606] sup-iface[0x55a8033e
1000,wlan0]: wps: type pbc start...
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7953] device (wlan0): supp
licant interface state: inactive -> disconnected
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7975] device (wlan0): supp
licant interface state: disconnected -> inactive
Aug 11 18:06:13 NB1 NetworkManager[1021]: <info>
[1565539573.7997] device (wlan0): supp
licant interface state: inactive -> scanning
Aug 11 18:06:14 NB1 kdeinit5[1722]: plasma-nm: Path:
"/org/freedesktop/NetworkManager/Se
ttings/1"
Aug 11 18:06:14 NB1.fritz.box dbus-daemon[947]: [system]
Activating via systemd: service
name='org.freedesktop.nm_dispatcher' unit='dbus-
org.freedesktop.nm-dispatcher.service'
requested by ':1.5' (uid=0 pid=1021 comm="/usr/sbin/NetworkManager
--no-daemon ")
Aug 11 18:06:14 NB1.fritz.box systemd[1]: Starting Network Manager
Script Dispatcher Ser
vice...
Aug 11 18:06:14 NB1.fritz.box systemd[1]: Started Network Manager
Script Dispatcher Serv
ice.
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9161] device (wl
an0): state change: need-auth -> prepare (reason 'none', sys-
iface-state: 'managed')
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9164] device (wl
an0): state change: prepare -> config (reason 'none', sys-iface-
state: 'managed')
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9166] device (wl
an0): Activation: (wifi) connection 'Zwischennetz' has security,
and secrets exist. No
new secrets needed.
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9166] Config: ad
ded 'ssid' value 'Zwischennetz'
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9166] Config: ad
ded 'scan_ssid' value '1'
```



```
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9166] Config: added 'bssid' value '3A:10:D5:78:F8:DF'
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9166] Config: added 'key_mgmt' value 'WPA-PSK'
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9166] Config: added 'psk' value '<hidden>'
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9289] device (wlan0): supplicant interface state: scanning -> authenticating
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9379] device (wlan0): supplicant interface state: authenticating -> associating
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9504] device (wlan0): supplicant interface state: associating -> associated
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9579] device (wlan0): supplicant interface state: associated -> 4-way handshake
Aug 11 18:06:21 NB1.fritz.box vmnetBridge[1339]: Started bridge wlan0 to virtual network 0.
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9853] device (wlan0): supplicant interface state: 4-way handshake -> completed
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9853] device (wlan0): Activation: (wifi) Stage 2 of 5 (Device Configure) successful. Connected to wireless network 'Zwischennetz'.
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9854] device (wlan0): state change: config -> ip-config (reason 'none', sys-iface-state: 'managed')
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9862] dhcp4 (wlan0): activation: beginning transaction (timeout in 45 seconds)
Aug 11 18:06:21 NB1.fritz.box NetworkManager[1021]: <info>
[1565539581.9923] dhcp4 (wlan0): dhclient started with pid 1988
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0456] dhcp4 (wlan0): address 192.168.179.27
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0457] dhcp4 (wlan0): plen 24 (255.255.255.0)
```

```
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0457] dhcp4 (wlan0): gateway 192.168.179.1
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0458] dhcp4 (wlan0): lease time 21600
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0459] dhcp4 (wlan0): nameserver '192.168.179.1'
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0459] dhcp4 (wlan0): state changed unknown -> bound
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0512] device (wlan0): state change: ip-config -> ip-check (reason 'none', sys-
iface-state: 'managed')
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0551] device (wlan0): state change: ip-check -> secondaries (reason 'none', sys-
iface-state: 'managed')
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0565] device (wlan0): state change: secondaries -> activated (reason 'none', sys-
iface-state: 'managed')
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0574] manager: NetworkManager state is now CONNECTED_LOCAL
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0649] manager: NetworkManager state is now CONNECTED_SITE
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.0652] policy: set 'Zwischennetz' (wlan0) as default for IPv4 routing and DNS
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: nisdomainname:
you must be root to change the domain name
Aug 11 18:06:22 NB1.fritz.box NetworkManager[1021]: <info>
[1565539582.2078] device (wlan0): Activation: successful, device activated.
Aug 11 18:06:23 NB1.fritz.box NetworkManager[1021]: <info>
[1565539583.2875] manager: NetworkManager state is now CONNECTED_GLOBAL
Aug 11 18:06:23 NB1.fritz.box NetworkManager[1021]: <info>
[1565539583.7757] dhcp6 (wlan0): activation: beginning transaction (timeout in 45 seconds)
Aug 11 18:06:23 NB1.fritz.box NetworkManager[1021]: <info>
[1565539583.7791] dhcp6 (wlan0): dhclient started with pid 2190
```

```
Aug 11 18:06:23 NB1.fritz.box NetworkManager[1021]: <info>
[1565539583.7805] policy: set 'Zwischennetz' (wlan0) as default for IPv6 routing and DNS
Aug 11 18:06:23 NB1.fritz.box NetworkManager[1021]: nisdomainname:
you must be root to change the domain name
Aug 11 18:06:24 NB1.fritz.box NetworkManager[1021]: <info>
[1565539584.1922] dhcp6 (wlan0): nameserver 'fd00::1:3a10:d5ff:fe78:f8de'
Aug 11 18:06:24 NB1.fritz.box NetworkManager[1021]: <info>
[1565539584.1923] dhcp6 (wlan0): state changed unknown -> bound
Aug 11 18:06:24 NB1.fritz.box NetworkManager[1021]: <info>
[1565539584.1939] dhcp6 (wlan0): client pid 2190 exited with status 0
Aug 11 18:06:24 NB1.fritz.box NetworkManager[1021]: <info>
[1565539584.1939] dhcp6 (wlan0): state changed bound -> done
NB1:/home/user #
```